






ECO GBS 96



Product information



■ SYSTEM TECHNOLOGY FOR THE DOOR




Product characteristics


Lock type	PZ-92	■
Backset	30	■
	35	■
	40	■
	45	■
Panic function	B	■
	D	■
	E	■
Face plate	Stainless steel	■
Face plate width	24	■
Hub	9 mm	■
Suitable for the use on fire- and smoke control doors	F	■
Tested acc. EN / DIN	EN 179  EN 1125 	


■ Yes - No □ On request

Description


- Panic mortise lock
- Suitable for fire-protection doors
- Tested and certified acc. to **EN 179 and EN 1125**
- Made completely of fire-resistant materials
- Panic function E: same version DIN left / DIN right

On request individual plate stamping possible at extra charge.





EN 179 
EN 1125 
F
Panic function B

PZ-92	Face plate	Backset		Article number
Rebated door Face plate: 24 x 270 mm	square	30	L	2096acb02q33100
			R	2096acb02q33200
		35	L	2096adb02q33100
			R	2096adb02q33200
		40	L	2096aeb02q33100
			R	2096aeb02q33200
		45	L	2096afb02q33100
			R	2096afb02q33200


EN 179 
EN 1125 
F
Panic function D

PZ-92	Face plate	Backset		Article number
Rebated door Face plate: 24 x 270 mm	square	30	L	2096acb02q35100
			R	2096acb02q35200
		35	L	2096adb02q35100
			R	2096adb02q35200
		40	L	2096aeb02q35100
			R	2096aeb02q35200
		45	L	2096afb02q35100
			R	2096afb02q35200


EN 179 
EN 1125 
F
Panic function E

PZ-92 W (W = handle / knob execution)	Face plate	Backset		Article number
Rebated door Face plate: 24 x 270 mm	square	30		2096acb02q34000
		35		2096acb02q3400
		40		2096aeb02q3400
		45		2096afb02q3400

ECO Schulte GmbH & Co. KG
Iserlohner Landstraße 89
D - 58706 Menden

Telefon: +49 2373/92 76 - 0
Fax: +49 2373/92 76 - 40

info@eco-schulte.de
www.eco-schulte.de

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten
© ECO Schulte GmbH & Co. KG - Subject to change